



Anaphylaxis Policy

Kunyang
Primary School

PURPOSE

To explain to Kunyang Primary School parents, carers, staff and students the processes and procedures in place to support students diagnosed as being at risk of suffering from anaphylaxis. This policy also ensures that Kunyang Primary School is compliant with Ministerial Order 706 and the Department's guidelines for anaphylaxis management.

SCOPE

This policy applies to:

- all staff, including casual relief staff and volunteers
- all students who have been diagnosed with anaphylaxis, or who may require emergency treatment for an anaphylactic reaction, and their parents and carers.

POLICY

School Statement

Kunyang Primary School will fully comply with Ministerial Order 706 and the associated guidelines published by the Department of Education and Training.

Anaphylaxis

Anaphylaxis is a severe allergic reaction that occurs after exposure to an allergen. The most common allergens for school-aged children are nuts, eggs, cow's milk, fish, shellfish, wheat, soy, sesame, latex, certain insect stings and medication.

Symptoms

Signs and symptoms of a mild to moderate allergic reaction can include:

- swelling of the lips, face and eyes
- hives or welts
- tingling in the mouth.

Signs and symptoms of anaphylaxis, a severe allergic reaction, can include:

- difficult/noisy breathing
- swelling of tongue
- difficulty talking and/or hoarse voice
- wheeze or persistent cough
- persistent dizziness or collapse
- student appears pale or floppy
- abdominal pain and/or vomiting.

Symptoms usually develop within ten minutes and up to two hours after exposure to an allergen, but can appear within a few minutes.

Treatment

Adrenaline given as an injection into the muscle of the outer mid-thigh is the first aid treatment for anaphylaxis.

Individuals diagnosed as being at risk of anaphylaxis are prescribed an adrenaline autoinjector for use in an emergency. These adrenaline autoinjectors are designed so that anyone can use them in an emergency.

Individual Anaphylaxis Management Plans

All students at Kunyung Primary School who are diagnosed by a medical practitioner as being at risk of suffering from an anaphylactic reaction must have an Individual Anaphylaxis Management Plan. When notified of an anaphylaxis diagnosis, the Principal of Kunyung Primary School is responsible for developing a plan in consultation with the student's parents/carers.

Where necessary, an Individual Anaphylaxis Management Plan will be in place as soon as practicable after a student enrolls at Kunyung Primary School and where possible, before the student's first day.

Parents and carers must:

- obtain an ASCIA Action Plan for Anaphylaxis from the student's medical practitioner and provide a copy to the school as soon as practicable
- immediately inform the school in writing if there is a relevant change in the student's medical condition and obtain an updated ASCIA Action Plan for Anaphylaxis
- provide an up-to-date photo of the student for the ASCIA Action Plan for Anaphylaxis when that Plan is provided to the school and each time it is reviewed
- provide the school with a current adrenaline autoinjector for the student that has not expired;
- participate in annual reviews of the student's Plan.
- each student's Individual Anaphylaxis Management Plan must include:
 - information about the student's medical condition that relates to allergies and the potential for anaphylactic reaction, including the type of allergies the student has
 - information about the signs or symptoms the student might exhibit in the event of an allergic reaction based on a written diagnosis from a medical practitioner
 - strategies to minimise the risk of exposure to known allergens while the student is under the care or supervision of school staff, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school
 - the name of the person(s) responsible for implementing the risk minimisation strategies, which have been identified in the Plan
 - information about where the student's medication will be stored
 - the student's emergency contact details
 - an up-to-date ASCIA Action Plan for Anaphylaxis completed by the student's medical practitioner.

Review and updates to Individual Anaphylaxis Management Plans

A student's Individual Anaphylaxis Management Plan will be reviewed and updated on an annual basis in consultation with the student's parents/carers. The plan will also be reviewed and, where necessary, updated in the following circumstances:

- as soon as practicable after the student has an anaphylactic reaction at school
- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes
- when the student is participating in an off-site activity, including camps and excursions, or at special events including fetes and concerts.

Our school may also consider updating a student's Individual Anaphylaxis Management Plan if there is an identified and significant increase in the student's potential risk of exposure to allergens at school.

Location of plans and adrenaline autoinjectors

- A copy of each student's Individual Anaphylaxis Management Plan will be stored with their ASCIA Action Plan for Anaphylaxis at the First Aid Office.
- A copy of each student's Individual ASCIA Action Plan for Anaphylaxis will be stored at the student's respective classroom, together with the student's adrenaline autoinjector. Adrenaline autoinjectors must be labelled with the student's name.
- Adrenaline autoinjectors for general use are available at the First Aid Office and Green Yard Duty Bag (stored at the BER) and are labelled "general use".
- A copy of each student's Individual ASCIA Action Plan for Anaphylaxis is displayed on the medical board at the First Aid Office.
- A summary of students with Anaphylaxis which includes the students name, photo and allergen is included in all yard duty bags and displayed in the canteen.
- A generic ASCIA Action Plan for Anaphylaxis (Orange) is displayed at the First Aid Office and the canteen.

Risk Minimisation Strategies

Kunyang Primary School will use the checklist and recommendations in the Anaphylaxis Guidelines to implement Risk Minimisation and Prevention Strategies to reduce the possibility of a student suffering from an anaphylactic reaction at in-school and out-of-school settings which include (but are not limited to) the following:

- during classroom activities (including class rotations, specialist and elective classes)
- between classes and other breaks
- in canteens
- during recess and lunch times
- before and after school
- camps and excursions, or at special events conducted, organised or attended by the school (eg. sporting events, class parties, cultural days, carnivals, concerts, events at other schools, competitions or incursions).

The strategies implemented will depend on the age of the students and the types of allergies that they may suffer from.

To reduce the risk of students suffering from an anaphylactic reaction at Kunyung Primary School, the Anaphylaxis Risk Strategies for Schools (Appendix A) will be used as a guide for the implementation of risk minimisation strategies.

Some of the strategies used will include (but are not limited to):

- staff and students are regularly reminded to wash their hands after eating;
- students are discouraged from sharing food
- external garbage bins and classroom compost bins at school are to remain covered with lids to reduce the risk of attracting insects
- gloves or tongs must be worn when picking up papers or rubbish in the playground;
- school canteen staff are trained in appropriate food handling to reduce the risk of cross-contamination
- year groups will be informed of allergens that must be avoided in advance of class parties, events or birthdays
- a general use adrenaline autoinjector will be stored the First Aid room and green yard duty bag (used on the oval)
- Planning for off-site activities will include risk minimisation strategies for students at risk of anaphylaxis including supervision requirements, appropriate number of trained staff, emergency response procedures and other risk controls appropriate to the activity and students attending.

For further risk minimisation strategies that may be used refer to the Appendix: Anaphylaxis Risk Management Strategies for School.

Adrenaline autoinjectors for general use

Kunyung Primary School will maintain a supply of adrenaline autoinjectors for general use, as a back-up to those provided by parents and carers for specific students, and also for students who may suffer from a first time reaction at school.

Adrenaline autoinjectors for general use will be stored at the First Aid Office, labelled “general use” and the green yard duty bag.

The Principal is responsible for arranging the purchase of adrenaline autoinjectors for general use, and will consider:

- the number of students enrolled at Example School at risk of anaphylaxis
- the accessibility of adrenaline autoinjectors supplied by parents

- the availability of a sufficient supply of autoinjectors for general use in different locations at the school, as well as at camps, excursions and events
- the limited life span of adrenaline autoinjectors, and the need for general use adrenaline autoinjectors to be replaced when used or prior to expiry.

Emergency Response

In the event of an anaphylactic reaction, the emergency response procedures in this policy must be followed, together with the school’s general first aid procedures, emergency response procedures and the student’s Individual Anaphylaxis Management Plan.

A complete and up-to-date list of students identified as being at risk of anaphylaxis is maintained by the First Aid Officer and stored at the First Aid Office. For camps, excursions and special events, a designated staff member will be responsible for maintaining a list of students at risk of anaphylaxis attending the special event, together with their Individual Anaphylaxis Management Plans and adrenaline autoinjectors, where appropriate.

If a student experiences an anaphylactic reaction at school or during a school activity, school staff must:

Step	Action
1.	<ul style="list-style-type: none"> • Lay the person flat • Do not allow them to stand or walk <p>If breathing is difficult, allow them to sit</p> <ul style="list-style-type: none"> • Be calm and reassuring • Do not leave them alone • Seek assistance from another staff member or reliable student to locate the student’s adrenaline autoinjector or the school’s general use autoinjector, and the student’s Individual Anaphylaxis Management Plan, stored at the First Aid Office or students classroom • If the student’s plan is not immediately available, or they appear to be experiencing a first time reaction, follow steps 2 to 5

<p>2.</p>	<p>Administer an EpiPen or EpiPen Jr</p> <ul style="list-style-type: none"> ● Remove from plastic container ● Form a fist around the EpiPen and pull off the blue safety release (cap) ● Place orange end against the student’s outer mid-thigh (with or without clothing) ● Push down hard until a click is heard or felt and hold in place for 3 seconds ● Remove EpiPen ● Note the time the EpiPen is administered ● Retain the used EpiPen to be handed to ambulance paramedics along with the time of administration <p>OR</p> <p>Administer an Anapen® 500, Anapen® 300, or Anapen® Jr.</p> <ul style="list-style-type: none"> ● Pull off the black needle shield ● Pull off grey safety cap (from the red button) ● Place needle end firmly against the student's outer mid-thigh at 90 degrees (with or without clothing) ● Press red button so it clicks and hold for 10 seconds ● Remove Anapen® ● Note the time the Anapen is administered ● Retain the used Anapen to be handed to ambulance paramedics along with the time of administration
<p>3.</p>	<p>Call an ambulance (000)</p>
<p>4.</p>	<p>If there is no improvement or severe symptoms progress (as described in the ASCIA Action Plan for Anaphylaxis), further adrenaline doses may be administered every five minutes, if other adrenaline autoinjectors are available.</p>
<p>5.</p>	<p>Contact the student’s emergency contacts.</p>

If a student appears to be having a severe allergic reaction, but has not been previously diagnosed with an allergy or being at risk of anaphylaxis, school staff should follow steps 2 – 5 as above.

Schools can use either the EpiPen® **and Anapen® on any student** suspected to be experiencing an anaphylactic reaction, regardless of the device prescribed in their ASCIA Action Plan.

Where possible, schools should consider using the correct dose of adrenaline autoinjector depending on the weight of the student. However, in an emergency if there is no other option available, any device should be administered to the student.

Communication Plan

This policy will be available on Kunyung Primary School's website so that parents and other members of the school community can easily access information about Kunyung Primary School's anaphylaxis management procedures. The parents and carers of students who are enrolled at Kunyung Primary School and are identified as being at risk of anaphylaxis will also be provided with a copy of this policy.

The Principal is responsible for ensuring that all relevant staff, including casual relief staff, canteen staff and volunteers are aware of this policy and Kunyung Primary School procedures for anaphylaxis management. Casual relief staff who are responsible for the care and/or supervision of students who are identified as being at risk of anaphylaxis will also receive a verbal briefing on this policy, their role in responding to an anaphylactic reaction and where required, the identity of students at risk.

The Principal is also responsible for ensuring relevant staff are trained and briefed in anaphylaxis management, consistent with the Department's [Anaphylaxis Guidelines](#).

Staff training

The Principal will ensure that staff at Kunyung Primary School receive appropriate training in anaphylaxis management.

Staff who are responsible for conducting classes that students who are at risk of anaphylaxis attend, and any other member of school staff as determined by the Principal, must have completed:

- an approved face-to-face anaphylaxis management training course in the last three years, or

- an approved online anaphylaxis management training course in the last two years. Kunyung Primary School uses the following training course for all staff members- ASCIA Anaphylaxis eTraining course.

Staff are also required to attend a briefing on anaphylaxis management and this policy at least twice per year (with the first briefing to be held at the beginning of the school year), facilitated by a staff member who has successfully completed an anaphylaxis management course within the last 2 years. Kunyung Primary Schools First Aid Officer is the Schools Anaphylaxis Supervisor. Each briefing will address:

- this policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students with a medical condition that relates to allergies and the potential for anaphylactic reaction, and where their medication is located
- how to use an adrenaline autoinjector, including hands on practice with a trainer adrenaline autoinjector
- the school's general first aid and emergency response procedures
- the location of, and access to, adrenaline autoinjectors that have been provided by parents or purchased by the school for general use.

When a new student enrolls at Kunyung Primary School who is at risk of anaphylaxis, the Principal will develop an interim plan in consultation with the student's parents and ensure that appropriate staff are trained and briefed as soon as possible.

A record of staff training courses and briefings will be maintained by the School Anaphylaxis Supervisor (First Aid Officer) and through the school's online Emergency Management Plan.

The Principal will ensure that while students at risk of anaphylaxis are under the care or supervision of the school outside of normal class activities, including in the school yard, at camps and excursions, or at special event days, there is a sufficient number of school staff present who have been trained in anaphylaxis management.

FURTHER INFORMATION AND RESOURCES

- [Allergy & Anaphylaxis Australia](#)
- ASCIA Guidelines: [Schooling and childcare](#)
- Royal Children's Hospital: [Allergy and immunology](#)

The Department's Policy and Advisory Library (PAL):

- [Anaphylaxis](#)

The following school policies can be found on our school website:

- Health Care Needs
- Administration of Medication
- First Aid

POLICY REVIEW AND APPROVAL

Policy last reviewed	27/10/2021
Approved by	Principal
Noted by	School Council: 16/11/2021
Next scheduled review date	27/10/2022

APPENDIX

Risk Minimisation Strategies

The following recommendations provide strategies to help reduce the risk of exposure to known allergens. Kunyung Primary School will decide which strategies in consultation with parents/guardians are appropriate for each student and include these into individualised anaphylaxis care plans. The chosen risk minimisation strategies are communicated to staff, parents/guardians, and the broader school community as needed.

Anaphylaxis risk minimisation strategies for schools

Developed by A&AA, ASCIA and the National Allergy Strategy.

This information has been adapted from a table that was initially produced by Allergy & Anaphylaxis Australia (A&AA). To ensure consistency of information A&AA, ASCIA and the National Allergy Strategy endorse these anaphylaxis risk minimisation strategies.

October 2021.

Food from home

- It is NOT recommended that schools 'ban' food and as such schools should not claim to be free of any allergen (e.g. 'nut free'). An 'allergy aware' approach which focuses on implementing a range of appropriate risk minimisation strategies is recommended.
- In cases where the students are of a young age or have cognitive impairments limiting their ability to manage their own food allergies, it may be appropriate to implement allergen-restricted zones to reduce the risk that they will accidentally eat a food allergen. For example, this may be appropriate if there are students eating messy egg meals, grated cheese or drinking milk, so that they are not sitting next to students with egg or milk (dairy) allergy.
- Request that all student lunch boxes and water bottles are clearly labelled with the student's name.
- Educate students and the school community about food allergy so they understand why they should only eat their own food and why they should not share or offer food to students with food allergies.
- In early primary school years, communicate with parents/guardians in classes that have a student with food allergies about not sending 'messy' foods that contain the student's food allergens where possible. For example, sliced cheese is less messy and therefore less risk than grated cheese. Staff need to be aware of students who are eating food that can be messy

(such as egg sandwiches, milk in tetra packs or yoghurt tubs) and be prepared to clean appropriately.

Meals and mealtime supervision

Mealtimes

- All students should be encouraged to wash hands before eating (especially children with food allergy).
- All students should be encouraged to wash their hands after eating, especially if they have eaten something that another student in their class is allergic to.
- Hand wipes can be used to remove allergens from hands (and faces) if running water and soap is not available.
- Hand sanitiser should not be used as a substitute to washing hands with soap and water as it does not remove allergens.
- Food, utensils and containers should not be shared.
- Supervision of students eating is recommended in early primary years for students with food allergy. However, students that have food allergy should not be isolated from their peers.
- If using shared platters (such as fruit), give the student with food allergy their own separate serving of fruit on a separate plate.

Canteen/Tuckshop

- It is suggested that all staff preparing and serving food to students undertake [All about Allergens for Schools](#) online training so they understand how to select suitable foods for students and staff with food allergy and avoid cross contamination during storing, handling, preparing and serving food.
- A copy of the student's ASCIA Action Plan (for food allergy) should be displayed in the canteen/tuckshop visible to staff but not students.
- Communicate with the school community regularly through school newsletters, website and social media about how the canteen or boarding school manages food allergies. This can include information about new products or menu items that may or may not be suitable for students with food allergies. Remind staff that the product label must be read each time a student with food allergy is served food or drink.
- Encourage parents/guardians of students with food allergy to discuss menu options and products available with the canteen/tuckshop, or other food providers, when they are ready for others to supply food to their child.
- Provide information about products available to older students with food allergy.
- Consider whether the canteen or boarding school offers foods containing peanuts, tree nuts (such as cashew, hazelnut and almond) or shellfish, as a listed ingredient. These are not essential foods and are easily avoided.
- If using lunch bags for orders, consider using different coloured lunch bags (such as brown/white bags) for students and staff with food allergies to make them more visible, and ask parents/guardians, students and staff to clearly write their name and their food allergy on the lunch bag every time they order.

- If using an online ordering system, ensure all parents/guardians (and older students ordering themselves) and staff to declare their food allergy, so this is recorded against the food order.
- Prepare food for students with food allergy first so their food does not come into contact with other foods being prepared. Food for students with food allergies should be clearly labelled with the student's name and packaged (wrapped or put into a container with a lid) to avoid cross contamination.
- Foods with precautionary allergen labelling statements (such as "may contain traces of") should not be provided to students allergic to that particular food.
- Thorough washing of kitchen equipment with hot soapy water is needed to remove allergens.
 - When preparing food, clean/separate utensils should be used. If shared utensils are used, they should be washed in hot soapy water or a dishwasher to remove traces of potential allergens.

Indoor activities

- Non-food rewards (such as pencils, stickers, privileges) are encouraged.
 - If food rewards are used, staff should only offer this to a student with food allergy if the parent/guardian has given them permission to do so and ingredients and precautionary allergen statements have been checked for the student's allergens.
 - Parents/guardians of students with food allergy may provide food treats in a clearly labelled 'treat box' for their child.
- Discuss cooking, science experiments using foods, incursions and any other onsite activities involving food with parents/guardians of students with food allergy in advance.
- Games and activities should not involve the use of any foods that students are allergic to.
- Wind toys and instruments (such as whistles, recorders, flutes, saxophones) are high risk. Discuss with parents/guardians the provision of the student's own instrument if they have a food allergy.
- Avoid using recycled craft items that can contain food allergens (empty plastic milk bottles, egg cartons, cereal boxes, empty peanut and tree nut spread jars, ice cream containers).
- Activities such as face painting or mask making (when moulded on the face of the student), should be discussed with parents/guardians prior to the activity, as products used may contain food allergens such as peanut, tree nut, wheat, milk or egg.
- Some materials (such as play dough) can contain food allergens.
 - Discuss options with parents/guardians of students with food allergy (such as using wheat-free flour).
 - Check that nut oils have not been used in the manufacturing process.
 - If a student with food allergy is unable to use the play dough provided for their classmates, provide an alternative material for the student to use and adequate supervision to avoid cross-contamination.

Food technology

- Encourage the [All about Allergens for Schools](#) online training for food technology staff and students.
- Cooking activities can present a risk to students with food allergy as common allergens such as milk, egg and wheat are often ingredients.

- Engage parents/guardians and older students in discussions prior to cooking sessions and activities using food. Where possible, known allergens should be substituted with suitable ingredients – parents/guardians of students with food allergy can provide advice. Where this is not practical, another recipe should be used by the student with food allergy, or a different recipe used for all students. This should be planned well in advance of the cooking lesson so alternate ingredients can be provided/purchased.
- If other students are using ingredients a student is allergic to, consideration must be given to cross contamination risk during preparation and cooking.
- Be aware of all students with food allergy when considering options, as food for one student with food allergy might not be safe for another with a different food allergy.
- It is important to ensure that cooking equipment used by students with allergies has been thoroughly cleaned before and after use, preferably in a dishwasher.
- Remind all students not to share food they have cooked with others outside of the class (such as at recess and lunch time). Students with food allergy should only eat food they have prepared themselves using ingredients they are not allergic to.

Outdoor activities

Insect allergy

- Ensure students with insect allergy wear shoes when outside.
- Have bee and wasp nests removed by a professional.
- Consider poisoning of ant nests if there are students with ant allergy (this should be done when students are not at the school).
- Cover outdoor bins as they attract insects.
- Be aware of bees around water and in grassed or garden areas.
- Keep lawns and clover mowed.
- When purchasing plants, consider those less likely to attract bees and wasps (such as non-flowering plants).
- Specify play areas that are lower risk - away from garden beds, flowering plants, water, or garbage storage areas.
- Do not have open drink containers outside, particularly those containing sweet drinks, as they may attract stinging insects.
- Students with insect allergy should not be asked to pick up litter, even with gloves on.

Tick allergy

- To reduce the risk of tick bites in tick prone regions, students should wear a hat and cover skin when outdoors and remove these before going indoors, where possible.
- They should tuck their pants into their socks and wear long sleeved tops, where possible.
- Consider having an ether containing spray in the first aid kit when engaging in activities in areas where ticks may be present.

Animal allergy

- Some animal feed contains food allergens (such as nuts in birdseed and cow feed, milk and egg in dog food, fish in fish food, peanut butter in dog food, fish in cat food). If possible, source animal feed that does not contain foods students are allergic to.

- Students with egg allergy, should only handle chicks that hatched the previous day or longer (no wet feathers) and must wash their hands afterwards. [Further information](#) is available from Allergy & Anaphylaxis Australia.
- Exposure to animals such as domestic dogs, cats, rabbits, rats, mice, guinea pigs and horses may trigger contact rashes including worsening eczema, allergic rhinitis (hay fever) and sometimes asthma.
- Anaphylaxis to animals such as horses or dogs are rare but may occur and should be considered with activities such as “show and tell”, or visits to farms or zoos.

Food allergy

- Consider that the paint/coloured powder used for “colour runs” may contain food allergens. Ingredients of the paints used in colour runs should be sought and avoided if they contain a student’s allergen.
- Do not use sunscreen containing food products (such as nut oils, cow’s or goat’s milk).
- Students at risk of anaphylaxis to food should be provided with gloves or an instrument to pick up the rubbish to avoid skin contact with potential allergens when doing yard duty, or be offered an alternative duty.
- Mulches used for gardens can contain food allergens (such as peanut shells) and mould allergens. If possible, source mulches that do not contain allergens and store in a dry place to minimise the growth of mould.
- Children may be allergic to foods grown in the garden (it is possible to be allergic to any food including fruits and vegetables).

Off-site activities including camps

- Check if the excursion includes a food related activity and if so, discuss with the parents/guardians and plan accordingly.
- It is suggested that all staff preparing and serving food on excursion and camps undertake [All about Allergens for Camps](#) online training so that they understand how to select suitable foods for students and staff with food allergy and avoid cross contamination during storing, handling, preparing and serving food.
- Examples of topics that need to be discussed with parents/guardians in preparation for a camp might include:
 - Food options/menu, food brands, cross contamination risks, food service staff training.
 - Whether any foods can be removed from the menu (e.g. if a student with a peanut/tree nut allergy is attending camp).
 - Whether there is opportunity for the menu to be adapted to accommodate a student with food allergy (such as removing pavlova as an option for dessert if a student with egg allergy is attending and there are other dessert options that do not contain egg).
 - What risk management strategies will be in place to manage risk of exposure to allergens that cannot be removed (such as egg, milk, wheat)?
 - Possibility of the student’s parent/guardian providing all or some of the food for the duration of the camp if this is considered the safest option (such as students who have multiple or complex food allergies). Appropriate storage and heating of the food needs to be discussed and organised with staff and the camp caterers.

- Camp organisers need to consider activities (such as cleaning and tidying/packing away) they assign to students on camp. It is safer to have the student with food allergy set tables, for example, rather than clear plates and wipe down tables after eating.
- Avoid using food in activities and games, including as rewards.
- Allergy & Anaphylaxis Australia has comprehensive information about [managing food allergy and anaphylaxis on camp](#).

Special events

- Students should not miss out on activities because of their food allergy, however they (or the school/class as a whole) may have to do things slightly differently to increase safety.
- Special events are high risk for students with food allergy as staff can be distracted with organising extra activities and students may be distracted. Speak with parents/guardians of younger students and students with complex needs that have food allergy to see if they (or trusted relative) can attend as a helper to supervise the student.
- Consider students with food allergy when planning any fundraisers, cultural days or stalls, breakfast mornings, picnics and other celebrations involving food.
- Liaise with the parents/guardians of the student with food allergy well in advance so they can provide suitable food or adjust the activity to accommodate their child's allergies.
- Students with food allergy should not consume food brought in by other students even if they are thought to be safe.
- Students with food allergy can participate in spontaneous birthday celebrations by way of their parents/guardians supplying a 'treat box' or safe cupcakes stored in the freezer in a labelled sealed container to prevent cross contamination.
- Cultural days can be especially difficult for students with food allergies due to the involvement of outside catering (often by parents/guardians). A risk minimisation plan should be put in place for students with food allergies due to the high risk of accidental exposure to a student's allergen. This should be developed with the student's parent.
- Be aware that events where food is being provided (such as Father's Day breakfast) can be a stressful event for parents/guardians of students with food allergy and the student themselves. Try to avoid foods students are allergic to where possible.

Medications, creams and latex

- Any medication administered in the school should be given in accordance with school or education department/sector guidelines; school policy and procedures; and with the written permission of parents/guardians.
- Students in the later years of primary school and secondary school need to be reminded that they should not share medications for conditions such as asthma, period pain or headaches.
- Do not use sunscreen containing food products (such as nut oils, cow's/goat's milk).
- Use non-latex gloves in first aid kits and facilities such as kitchens, canteens and the sick bay.
- Food for students with latex allergy should be prepared with clean hands or non-latex gloves.
- A student with latex allergy should not be asked to wear a school latex swimming cap.
- Non-latex balloons should be used when there is a student with latex allergy.
- First aid kits should have non-latex sticking plasters and non-latex gloves available.

